

From volatility to value: analysing and managing financial and performance risk in energy savings projects [☆]

Evan Mills^{a,*}, Steve Kromer^b, Gary Weiss^c, Paul A. Mathew^d

^aEnergy Analysis Department, Lawrence Berkeley National Laboratory, 1 Cyclotron Road, MS 90-4000, Berkeley, CA 94720, USA

^bTeton Energy Partners, 1639 Delaware Street, Berkeley, CA 94703, USA

^cTeton Energy Partners, 4270 West Greens Place, Wilson, WY 83014, USA

^dLawrence Berkeley National Laboratory, 901 D. Street SW, Suite 950, Washington, DC 20024, USA

Available online 27 October 2004

Abstract

Many energy-related investments are made without a clear financial understanding of their values, risks, and volatilities. In the face of this uncertainty, the investor—such as a building owner or an energy service company—will often choose to implement only the most certain and thus limited energy-efficiency measures. Conversely, commodities traders and other sophisticated investors accustomed to evaluating investments on a value, risk, and volatility basis often overlook energy-efficiency investments because risk and volatility information are not provided. Fortunately, energy-efficiency investments easily lend themselves to such analysis using tools similar to those applied to supply side risk management. Accurate and robust analysis demands a high level of understanding of the physical aspects of energy-efficiency, which enables the translation of physical performance data into the language of investment. With a risk management analysis framework in place, the two groups—energy-efficiency experts and investment decision-makers—can exchange the information they need to expand investment in demand-side energy projects. In this article, we first present the case for financial risk analysis in energy efficiency in the buildings sector. We then describe techniques and examples of how to identify, quantify, and manage risk. Finally, we describe emerging market-based opportunities in risk management for energy efficiency.

Published by Elsevier Ltd.

Keywords: Energy efficiency; Risk management; Finance

1. The case for risk management in energy efficiency

The enormous potential for energy savings is well established, as is the fact that the goal has proven elusive in part due to the challenge of attracting sufficient interest from the investment community (Moomaw et al., 2001). While historical efforts have been consider-

able, progress has slowed due in part to a lack of ‘fit’ with established financial decision-making and risk-assessment frameworks. Energy managers and investment decision-makers simply do not speak the same language. As an indication of the disconnect, over the past 15 years the so-called ‘Energy Services’ industry has managed to implement only a small fraction of the available energy-efficiency investments in buildings and industry, even in North America where it is relatively well established. Many high-yield investments remain, yet growth in the energy-efficiency services is slowing (Goldman et al., 2002).

The situation traces in part from the fact that energy management is considered primarily a physical necessity (or luxury), not a financial opportunity. While highly

[☆]An earlier version of this work was presented at the ECEEE Summer Study on Energy Efficiency, 2–7 June 2003, St Raphaël, Côte d’Azur, France.

*Corresponding author. Tel.: +1 510 486 6784; fax: +1 510 486 6996.

E-mail addresses: emills@lbl.gov (E. Mills), skromer@tetonenergy.com (S. Kromer), gweiss@tetonenergy.com (G. Weiss), pamathew@lbl.gov (P.A. Mathew).

skilled at designing physical systems, energy engineers are often frustrated to see their proposed energy productivity improvements go overlooked by Chief Financial Officers and investment analysts. By working together to develop a methodology and language for valuing energy projects alongside other investments, both parties (energy managers and investment decision-makers) can ensure that the gap is closed.

Energy-efficiency experts, as scientists and engineers, tend to avoid or devalue metrics that show evidence of uncertainty. To them, risk management means finding engineering solutions that eliminate risk. They see the uncertainties of energy savings projects strictly as liabilities. Rather than attempt to quantify these uncertainties, thereby enabling risk management, energy performance contractors favour stipulating (rather than measuring and verifying) the potential energy savings. The stipulated savings are often discounted to reflect the potential downsides, with no credit for potential upsides. Finance traders and traditional investment analysts, however, see risk management as a set of tools for comparing investments on the basis of value, risk, and volatility. One example of this is Enterprise Risk Management as defined by the [Casualty Actuarial Society \(2001\)](#): *The discipline by which organisations assess, control, exploit, finance and monitor risk from all sources for the purpose of increasing the organisation's short- and long-term value to its stakeholders.* In this framework, risk is not simply a potential liability; it is also a potential opportunity.

The attitude that uncertainty should be avoided rather than quantified limits the perceived opportunities for energy-efficiency measures. In the United States, many energy performance contractors have been unwilling to provide 100% savings guarantees because of concerns about future volatilities that could adversely affect their savings predictions.¹ In addition, their customers rarely understand the associated uncertainties and are thus unequipped to value the premium requested by energy performance contractors for guaranteeing energy savings.

Specific factors adversely affecting the establishment of guaranteed savings include:

- Inadequate time or methodology to establish an accurate volumetric consumption baseline.
- Inability to monitor behavioural changes that could result in greater consumption of energy when new equipment is installed.
- Inability to monitor and mitigate actions that could decrease asset efficiency, such as poor maintenance.
- Volatility in future energy rates, currency exchange rates, interest rates, etc.

¹Of 15 energy service companies providing information in the [Goldman et al. \(2002\)](#) study, seven guaranty 100% of the savings, six guaranty 50–100%, and two guaranty less than 50%.

When estimates of energy savings potential are lowered, the anticipated profitability of some energy savings projects can be reduced to the point that their investment potential is no longer attractive to the end-user or policymaker. Such projects might devolve into simple equipment leases (a trend visible today) and stipulated (rather than measured) energy savings. Performance verification—an important source of value, risk, and volatility data—is subsequently removed from energy-efficiency project plans. Meanwhile, perceived risk forces lenders to increase the cost of borrowing, which in turn erodes the intrinsic cost-effectiveness of energy-efficiency projects and lowers the overall level of available financial resources.

To shift to a more sophisticated, financially astute risk management paradigm, the performance contracting industry, in collaboration with the public sector or other neutral and credible entities, must build a risk framework to address:

- *Project intrinsic volatilities*—those energy consumption elements directly affected by changes *within* the facility, which are measurable, verifiable, and *controllable*. This includes the energy volume risk (quantitative changes in energy use), asset performance risk, and energy baseline uncertainty risk.
- *Project extrinsic volatilities*—those energy consumption risks that are *outside* the facility, and *hedgeable*. These include energy price risk, labour cost risk, interest rate risk, and currency risk (for cross-border projects).

As the data within this framework becomes robust, it will evolve into the equivalent of the insurance industry's actuarial tables for the considered measures against specific conditions that materially impact savings.

Reaching this stage of maturity requires industry standardisation and public and private efforts to identify and compile data on both the aforementioned intrinsic and extrinsic volatilities and on energy surveys, measurement, and verification. When values, risks and volatilities of efficiency measures are understood, they can be evaluated alongside other financial investment options and thereby have a greater chance of acceptance by a wider audience.

Consider, for example, how managing volatility on the supply side has evolved. During what in retrospect seem like simpler times, the revolution of on-line trading in the wholesale power markets allowed market participants to effectively manage their exposure to energy commodity price volatility. While originally considered unworkable, the commoditisation of energy supply quickly grew to become a multi-billion-dollar business. Energy transactions could, it was thought, find their place in the world of structured finance in which investments and projected cash flows are bundled and

sold in large packages like other financial derivatives. New terms of art emerged, such as: weather derivatives, emissions trading, physical hedges, and viewing saved energy as ‘negawatts’.

Recent chaos in the Western US power market, the collapse of Enron, and solvency crises among some of the nation’s largest energy utilities have brought increased attention to risk management and accounting practices in the energy sector, and have highlighted the vulnerability of the larger economy to volatility in the energy arena. The roots of this volatility are both financial and physical. For example, rough estimates place the costs of electric power disruptions in the United States alone as high as \$100 billion per year. Whatever the exact value, the costs are clearly significant (Eto et al., 2001).

While seemingly well insulated from such concerns, energy-efficiency projects and the firms that purvey them have also become the object of scrutiny and scepticism, and the efficiency community is largely unprepared to cope with this. While energy savings estimates are often heroic, the risks are typically relegated to qualitative descriptions or anecdotal footnotes, at best. Fig. 1 illustrates a conceptual risk-return chart for various investments—the kind of chart that is elemental to any investment decision-maker. The absence of information on risk-return (represented by the zero x -axis value for energy efficiency in the diagram) makes it virtually impossible for most investors to seriously consider energy efficiency in the context of a risk-return framework such as that illustrated in the figure.

The Incomplete Portrayal of Energy Efficiency Risk-Return




Fig. 1. The ‘risk-return’ view applied to most investments is rarely considered when valuing potential energy-efficiency investments.

1.1. Diverse audiences with a common need

There are four distinct constituencies for this new shared perspective on risk management: the financial services sector, in-house operations management, owners of energy-using facilities, and energy policy makers. We discuss each of these audiences in more detail below.

The first audience—the financial services sector—includes lenders, financial risk managers, and insurance companies. Their involvement in the energy services marketplace is very limited at present. The long-discussed but as yet unrealised prospect for the ‘securitisation’ of energy efficiency investments (Kats et al., 1996)—i.e. bundling many individual projects and their projected future cash-flows into portfolios that can be sold and traded in the financial marketplace as securities—clearly requires new methods of evaluating and managing the associated risks. Similarly, risk assessment and management methods are needed to provide the confidence necessary for the proper functioning of carbon emissions trading systems. Far more exotic things than energy efficiency have been securitised, including David Bowie’s royalties and Italian tomato crops (Timmons, 2002). Abuses of securitisation, and the financial aftershocks have made it more challenging to apply this attractive strategy to energy efficiency, however.

The second audience includes in-house senior operations management as well as those in the energy services industry currently offering customer-oriented demand management products, but finding themselves with stagnant or diminishing markets on the one hand and increasing accounting scrutiny on the other. With increased interest in measurement and verification (‘M&V’), and insufficient resources to ‘measure everything’, there emerges a clear need to prioritise and rank the options. Clearly, some measures merit measurement more so than others, depending on the actual uncertainties and the level of risk acceptable to the customer.

The third audience is far broader, including virtually any owner/operator of energy-using facilities, especially those with a portfolio of holdings. This audience stands to benefit from the concepts presented here by helping them place prospective energy-efficiency investments on an equal footing with other investment opportunities.

The fourth audience includes a host of energy policymakers and policy advisers—from the local to the national and international levels—who are keenly aware that energy savings projects often under-perform and that the ultimately envisioned market penetration has remained an elusive goal. A leading example of advanced work in this arena is in the inclusion of uncertainty analysis in appliance standards work, discussed in more depth below.

In the remainder of this article, we offer a means of unifying the ‘physical’ and the ‘financial’ by presenting a practical language for bridging the two worlds. We argue that the risks associated with energy-efficiency investments cannot only be managed, but can be turned into opportunities. We outline the business logic and a conceptual framework for identifying, quantifying, and managing these risks in Sections 2–4, respectively. In Section 5 we discuss emerging business models and public–private initiatives for capturing the considerable untapped value. We draw our examples from the buildings sector, although the perspective can be extended to other sectors. While this article focuses on the conceptual underpinnings of the issue, Mathew et al. (2004) augment this discussion with a treatment of quantitative applications. This perspective is also relevant to managing risks in the emerging markets for tradable green certificates, carbon emissions trading, and the like.

2. Identifying energy-efficiency risks

It is no secret that energy savings estimates contain uncertainties and that many factors confound performance and produce volatility. Study after study has shown that measured energy savings often deviate significantly from predictions, and typically in unfavourable ways. In fact, sometimes savings do not materialise at all, and savings often fail to persist over time. Evidence for this dates back to the early 1990s (Heerwagen and Loveland, 1991). This fact fosters the proverbial ‘cream-skimming’ problem in which relatively certain (but relatively shallow) energy savings opportunities are selected in favour of more promising but more complex and uncertain measures. Over-emphasis on lighting efficiency projects is an oft-cited example of this phenomenon. In a major review of historic experience in the US ESCO (Energy Services Company) market, 40% of projects had savings that deviated by more than 15% from projections and in 30% of the cases predicted savings were greater than actual (Goldman et al., 2002). The most commonly targeted end use by ESCOs is lighting.

The issue is being brought into focus again by deliberations over how much to discount (deflate) energy savings estimates that underpin emissions-reductions projections associated with carbon trading projects. It is sobering to see that these deflation factors range as high as 50% (Vine et al., 2003).

On the other hand, efficiency has some inherent risk-management *benefits* (e.g. as a form of protection or ‘hedge’ against price volatility) (Mills, 2002). These, too, are rarely acknowledged or otherwise weighted into the investment decision.

2.1. Sources of risk, uncertainty, and volatility

We have identified 10 ‘zones’ in which energy-efficiency project risks may reside (Table 1). These include the categories of economic, contextual, technology, operational, and measurement and verification risk. Each of these in turn has both intrinsic (controllable) and extrinsic (uncontrollable) dimensions.

Examples of economic risks include energy-cost volatility, tariff structures, tariff levels, and labour costs. Examples of contextual risks include the quality and completeness of information on the facility, and environmental conditions (e.g. weather patterns, energy service levels, and changes in occupancy). Examples of technology risk include equipment performance and lifetime. Examples of operational risks include degradation of energy savings over time due to occupant ‘takeback’ (Haas et al., 1998),² poor maintenance, changes in baselines due to shifting operating hours, loads, etc. Risks related to the measurement and verification of savings range from simulation and metering accuracy to measurement bias.

Among the many sources of risk is over- or under-estimation of savings during design. In the case of buildings, for example, engineers must rely heavily on software tools that approximate the energy-use profile and calculate the savings from applying efficient technologies. These tools can yield widely different results even under highly controlled comparison conditions, for example –20–+100% of the actual bill for the example shown in Fig. 2. Reasons for such wide deviations include modelling error, incorrect assumptions on technical aspects, and unanticipated or unmodeled effects of consumer behaviour.

As discussed elsewhere, energy-efficient technologies also have physical risk dimensions of relevance to property loss, liability, business interruption, and life/health (Mills, 1996; Vine et al., 1999; Mills, 2003a). This is yet another area of risk analysis that has received minimal attention by the energy management and policy communities.

The identification and allocation of risks to various parties is clearly an essential component of risk management. A simplified example is the ‘Risk/Responsibility Matrix’ utilised by the US Federal Energy Management Program to help government project managers identify and assign risks of projects involving ESCOs (FEMP 2001).³

²A more significant issue for residential than for non-residential facilities.

³See http://www.eren.doe.gov/femp/financing/escp/documents/risk_responsibility_matrix.doc.

Table 1
Matrix of risks associated with energy-efficiency projects

	Intrinsic factors	Risk management	Extrinsic factors	Risk management
Economic			Fuel costs Demand charges Cost of capital Exchange rates Labour costs Equipment costs	Hedges; fixed-price contracts Hedges; fixed-price contracts Risk-based rates Hedges Fixed-price contracts; inflation bonds (dirty hedges) Fixed-price contracts; inflation bonds (dirty hedges)
Contextual	Information on facility Applicability/feasibility	Due diligence; surveys Careful design	Environment Energy service levels	Pre-project data analysis, weather Hedges Contractual exclusions/adjustments
Technology	Equipment performance System performance Equipment sizing	Design, specification, measurement; ESI; stipulated savings Measurement Design	Equipment lifetime	Careful design; specification; contractual exclusions
Operational	Degradation of savings Baseline Adjustments Indoor environmental quality	Monitoring and diagnostics Contractual adjustments Liability insurance	Persistence	End-user training and information; contractual exclusions; occupant incentives
Measurement and verification	Data quality Modeling errors Energy power (kWh,therms,etc.) Metering precision/accuracy	Engineering review Model validation Adequate measurement plan and equipment Proper metering specification/procurement/testing		

3. Quantifying energy-efficiency risks

There are various ways to describe and analyse risk. As discussed above, some risks are controllable (intrinsic), and others are not (extrinsic). While it is beyond the scope of this paper to describe all the various risk analysis techniques that might be used for analysing energy-efficiency projects, we provide two illustrative examples: the first example involves a simple indicator viz. coefficient of variation; while the second one involves the use of Monte-Carlo simulation.

3.1. Coefficient of variation

Rickard et al. (1998) provided an early application of coefficient-of-variation (CV) analysis in the energy-

efficiency arena. The CV provides a way of comparing uncertainties for a variety of otherwise dissimilar physical processes or data sets. The normalisation is accomplished by dividing the standard deviation of a distribution of possible outcomes by the average. Thus, efficiency measures (together or apart from other investment options) having different averages and/or degrees of uncertainty can be meaningfully compared. With a smaller CV there is less the uncertainty and risk (Fig. 3). Those evaluating and comparing investment options might plot the CVs for competing investment opportunities against the projected returns.

Using this method, Rickard et al. examined a number of energy-efficient ENERGY STAR-labelled commercial buildings and plotted their CVs and returns against those of non-energy investment opportunities. Although




Fig. 2. Deviation of predicted energy costs from actual for a collection of energy-analysis software tools. Example is for residential buildings, presumably more certain than predictions for non-residential buildings (Mills, 2004).




Fig. 3. Use of the ‘CV’ to evaluate relative uncertainties.

the study made a number of significant simplifying assumptions, and excluded a number of risk factors, it provided a valuable visualisation indicating that energy efficiency can be compared against dissimilar investment alternatives (Fig. 4). It also found a 7% chance of

negative IRR, which evidences how real-world financial performance analyses can identify the circumstances under which a prospective investment would not be profitable and provide a sense of the likelihood of such an outcome.

Risk-Return Relationships of ENERGY STAR Buildings vs. Other Types of Investments




Fig. 4. Estimate of the risk-return relationship for ENERGY STAR-labelled buildings versus other types of investments.

3.2. Monte-Carlo simulation

In practice, an assessment of uncertainties has to examine and weigh a multiplicity of factors. In the public sector Lawrence Berkeley National Laboratory has developed a number of new methods for using uncertainty analysis to support policy decision-making. By using Monte-Carlo analysis techniques, the uncertainties of multiple variables⁴ are being integrated into a unified economic assessment method, which is now the basis for evaluating proposed energy mandatory efficiency standards in the United States (McMahon and Liu, 2000; Lutz et al., 2000). Under this approach, the probabilistic characteristics of each risk component are isolated to identify uncertainties and appropriate risk management activities and priorities. As an illustration of the inputs to such analyses, Fig. 5 shows a frequency distribution of lighting usage hours. Note that the potential variability of lighting operation is naturally bounded between zero and 8760 h per year. Ballast purchase prices (Fig. 6) are similarly isolated and statistically evaluated. Here the upper bound of cost reflects historic pricing, not a physical absolute. The ‘importance analysis’ flowing from these and other data sets actually ranks the impact of diverse variables on the ultimate financial performance (e.g. cost effectiveness) of a particular energy-efficiency strategy, as shown in Fig. 7 for the case of energy-efficient electronic lighting ballasts.

While the purpose of this particular analysis is to inform policymakers on issues such as equity impacts of equipment standards at a national scale, it is readily transferable to a project or portfolio scale. The analysis




Fig. 5. Probability distribution of annual fluorescent lighting hours (source: LBNL, Energy Efficiency Standards Group).

also shows that taking a probabilistic view reveals that for certain conditions a proposed investment may not be cost effective at all. Fig. 8 shows an integrated example of the distribution of possible life-cycle costs for electronic lighting ballasts.

In the private sector, some of the authors developed a similar framework for analysing the risk in a \$300 M energy-efficiency portfolio. Investments in client facilities were evaluated based on their expected values and a probability distribution of the savings for a given project type results in a ‘curve’, which we discuss further in Section 4.

⁴For example, the LBNL residential electric water heater life-cycle cost model involves approximately 120 input distributions in five sequential analysis modules (McMahon and Liu, 2000).




Fig. 6. Variability in US ballast prices (source: LBNL, Energy Efficiency Standards Group). (Baseline case [left] and efficiency case [right].)




Fig. 7. Ranked ‘importance analysis’ of factors influencing cost effectiveness of ballast efficiency improvements (source: LBNL, Energy Efficiency Standards Group). (Cathode cutout case [left] and electronic case [right].)




Fig. 8. Distribution of possible life-cycle costs for electronic ballasts. Variables included: lighting hours, ballast life, ballast price, electricity price, labour, and labour costs (source: LBNL, Energy Efficiency Standards Group).




Fig. 9. Reducing energy demand lowers the influence of energy bills on real-estate profitability (Mills, 2002).

Finally, it is important to note that risk assessment techniques must be tailored for the particular audience in question, specifically by linking risks to the key decision parameters of the investor. Real estate investors—one key constituency—provide a case in point. This community utilises particular indicators of financial performance (value) such as ‘net operating income’ and ‘return on equity’ (cash-on-cash return) (Harvard Business School, 1995). For the real estate investor, showing the sensitivity of returns to energy price volatility can be a powerful way of establishing the value of energy efficiency. Fig. 9 illustrates that energy efficiency not only improves the return on assets for a given energy price, but also provides a hedge against erosion of those returns in the face of price spikes. This result emerges because the overall weight of energy costs in the income/expense equation is lower if the property is energy efficient. The key factor here is that the figure of merit is not the performance of the energy-efficiency measure(s) in isolation, but their impact on broader areas of concern of the investor. In this way, energy-related risks can be quantitatively linked to other business risks, and the benefits of energy efficiency quantified in non-energy terms.

4. Managing energy-efficiency risks

Fortunately, there are a variety of techniques for managing the risks outlined in Table 1. These range from technical approaches to quantifying and measuring

Variation in Weather-Normalized Energy Savings in 24 Public Housing Projects, versus Portfolio




Fig. 10. Aggregation of projects largely offsets volatility caused by uncertain persistence of savings (source: data from Ritschard and McAllister, 1992).

savings to financial and contractual strategies that identify and explicitly allocate risks to various parties. Risk can also be managed and spread by assembling portfolios of projects, as opposed to single projects where there are no gains to offset a potential loss. As seen in Fig. 10a, weather-normalised energy savings from 24 public housing retrofit projects in the United States show a wide range of savings, and variability in savings over time. By viewing these projects from a portfolio perspective, however, the volatility is dampened considerably. In the case shown, a range of energy savings from -12% to +52% among individual projects is reduced significantly, to a range of +16 to +25% for the portfolio.

Technical approaches to risk management range from building performance diagnostics and commissioning and other quality assurance measures, to specialised operations and maintenance programs, to measurement and verification programs based on the public domain guidelines, such as the International Performance Measurement and Verification Protocols (IPMVP, 2001).

In contrast to the aforementioned engineering techniques, hedges and insurance products offer financial means of managing risk. Among the latter is energy savings insurance (ESI), in which an insurance contract is put in place to guaranty that payments are made in

the event that energy savings are under-achieved (Mills, 2003b). ESI is appreciated by project lenders and can result in lower financing costs. The contracts are often written such that claims are used to meet the debt service otherwise secured by the energy savings stream. Although a number of insurers offer ESI, the product is in its infancy. Unfortunately, ESI is at present a mix of art and science. While ESI providers use considerable engineering due diligence, they have yet to develop truly actuarial approaches to screening and ‘underwriting’ potential projects, which has significantly limited the growth of this product line. Energy savings insurers routinely focus on engineering risks, and thus exclude losses arising from extrinsic risks such as energy price fluctuations or occupant behaviour. Baselines are also adjusted to account for changes in facility schedule, output, or other proxies of changes in energy services provided.

4.1. Actuarial pricing: an example of portfolio-based risk management

Enron’s experience with actuarial pricing of energy-efficiency projects is a significant example of the application portfolio-based risk management, and merits a brief description here (for a more complete discussion, see Mathew et al., 2004). While the merits of this strategy may have been masked by the larger failure of the company, it nonetheless illustrates the value and opportunity for risk management services in the energy-efficiency business. Given that the conventional approach to pricing energy-efficiency projects (via detailed site audits) took too long, Enron sought to price energy-efficiency projects much like insurance policies—where a policy can be priced based on a few standard questions. Insurance companies rely on actuarial tables to develop a risk profile for a customer based on their characteristics, with on-site inspections limited to larger and more complex customers. Similarly, Enron sought to price the overall value of energy savings projects in a customer portfolio using pertinent customer site characteristics, without doing detailed engineering audits on individual sites. In order to accomplish this, an actuarial database of energy-efficiency project data were developed, wherein project costs, savings, schedule data were stored in a standardised format to facilitate actuarial analysis.

Fig. 11 illustrates an energy conservation measure (ECM) savings curve developed from the actuarial database. This particular curve describes the annual electrical savings from using setback controls for rooftop packaged HVAC units in office buildings, expressed in annual kWh savings per ton of cooling capacity. The curve is further specific to a particular region (Northeast US) and equipment age (more than 5 years). This curve is essentially a histogram of the savings from similar




Fig. 11. Sample ECM savings curve generated from actuarial database (Mathew et al., 2004).

projects recorded in the database—including both predicted and measured savings. This curve can therefore be used to estimate the savings from prospective setback controls projects, with just two parameters—location and equipment age—which can be obtained without site audits. While the uncertainty for a given site may be high, the risks can be diversified across a portfolio of projects.

The actuarial pricing approach was most commonly used for lighting retrofits, upgrades to packaged HVAC unit replacements, and certain compressed-air system measures. In a few cases, pricing was done exclusively using an actuarial approach. In fact, plans were underway to develop standard products that could be sold with a ‘low-touch, high-volume’ sales process. For example, a product for the hospitality industry would have bundled two guest room energy conservation measures—occupancy sensors and CFL replacements—and priced them exclusively from the savings curves, using a limited amount of easily obtained site data, such as number of rooms, location, and occupancy rates. As a portfolio risk management strategy, actuarial pricing is well suited for large portfolios of homogenous facilities such as retail outlets and hotels, where it has the potential to dramatically

reduce transaction costs and increase the scale of energy services delivered.

5. Emerging business models to turn volatility into value

In an applied example of how the perspectives described above can be integrated into market-based transactions, Teton Energy Partners has initiated a new proprietary business method that utilises this framework (and assumes that Industry standardisation will eventually take place): applying Real Option Theory in order to monetise the future volatilities surrounding energy savings projects for the benefit of the end-user. Energy Performance Contractors will compete for the exclusive right (hard option) to identify and install those energy projects that met the end-user’s threshold internal rate of return (IRR).

The value of this Option will increase or decrease, as follows:

- The larger the amount of the total installed cost, the more valuable the Option.
- The larger the allowable performance contractor’s gross margin, the more valuable the Option.

- The longer the Option period, the more valuable the Option.
- The higher the minimum IRR threshold, the less valuable the Option.
- The fewer downside project extrinsic volatilities, the more valuable the Option.
- The higher the project intrinsic upside volatilities, the more valuable the Option.

In summary, this Option will always have some value, unless the confidence level that the stipulated minimum IRR can be achieved diminishes to the point that it becomes worthless.

As previously stated, when more data become available for different types of end-users, it is very possible that an insurance-like actuarial approach can be utilised to make the above-referenced probability and variance determinations.

One can envision a time when the energy performance contracting industry potentially enters into a ‘virtuous cycle’: Higher IRRs will be achieved, allowing a much greater number of projects to be implemented, leading to fungible energy projects, which can be monetised, in turn ‘priming the pump’ for a greater number of projects to be installed, and so on.

Eventually, a logical step will be the creation of an ‘Energy Performance Contracting Standards Board,’ ensuring that the highest professional standards are maintained, and further institutionalising the energy savings performance contracting process. Similarly in the case of carbon emissions trading, analysts have suggested the need for international consensus rules on how to value and credit investments in emissions reductions (Vine et al., 2003).

6. Conclusion

Quantitative risk analysis is essential to correctly value energy-efficiency projects in the context of investment decision-making. Techniques to identify, quantify and manage risk are well-established in the financial community—and many of these can be effectively applied to energy-efficiency, as shown in this article. While we have focused on applying this thinking in the buildings sector, the underlying perspective has applications in virtually any energy use context, particularly where decision makers oversee a large stock of energy-using equipment. Additional work should be conducted to identify and model risk-return issues in the industrial and transport sectors, and extensions to other resource management arenas should also be explored.

A risk management view of energy-efficiency essentially provides a shared framework and language for the physical and financial realms, making it more accessible to financial markets and decision-makers. Furthermore,

it affords new opportunities for a whole range of financial risk management products such as energy savings insurance or real options and derivatives for energy efficiency.

There is also a timely coincidence of need for risk management, and risk managers looking for new services to offer to upper management (Richter Quinn, 2002). In the wake of the corporate accounting crisis, firms are scrambling to develop more sophistication in accounting and risk management. Energy accounting will thus be expected to involve more rigour than has been the case in the past. The future energy manager will have a far broader scope than at present, and will increasingly be looked on to work with risk managers in addressing financial volatility associated with energy savings and energy asset management. They will find themselves less marginalised and a more integral part of decision-making.

References

- Casualty Actuarial Society, 2001. Final report of the Advisory Committee on Enterprise Risk Management. Arlington, Virginia. <http://www.casact.com/research/erm/index.htm>.
- Eto, J., Koomey, J., Lehman, B., Martin, N., Mills, E., Webber, C., Worrell, E., 2001. Scoping study on trends in the economic value of electricity reliability to the US economy. Prepared for the Electric Power Research Institute, Lawrence Berkeley National Laboratory Report No. 47911. <http://eetd.lbl.gov/ea/EMS/reports/47911.pdf>.
- FEMP, 2001. Fine-tuning for best-value Super ESPC deals using the responsibility matrix. Federal Energy Management Program. http://www.eren.doe.gov/femp/financing/espc/pdfs/fine_tune_matrix.pdf.
- Goldman, C.A., Osborne, J.G., Hopper, N.C., Singer, T.E., 2002. Market trends in the US ESCO industry: results from the NAESCO database project. Lawrence Berkeley National Laboratory Report No. 50304. <http://eetd.lbl.gov/ea/ems/reports/50304.pdf>.
- Haas, R., Auer, H., Biermayr, P., 1998. The impact of consumer behavior on residential energy demand for space heating. *Energy and Buildings* 27, 195–205.
- Harvard Business School, 1995. Financial analysis of real property investments. Report 9-379-193 Harvard Business School Publishing, Boston, MA.
- Heerwagen, J., Loveland, J., 1991. Energy edge post-occupancy evaluation project. Prepared for the Bonneville Power Administration, Portland, OR.
- International Performance Measurement & Verification Protocol, 2001. DOE/GO-102001-1187. <http://www.ipmvp.org>.
- Kats, G.H., Rosenfeld, A.H., McIntosh, T.A., McGaraghan, S.A., 1996. Energy efficiency as a commodity: the emergence of an efficiency secondary market for savings in commercial buildings. Proceedings of the 1996 American Council of Energy Efficient Economy (ACEEE) Summer Study on Energy Efficiency in Buildings, Asilomar, CA.
- Lutz, J.D., Liu, X., Lekov, A.B., Whitehead, C.D., McMahon, J.E., 2000. A Monte Carlo approach to calculation of energy consumption for residential gas-fired water heaters. ASHRAE Transactions Lawrence Berkeley National Laboratory Report No. 44829.
- Mathew, P., Kromer, S., Sezgen, O., Meyers, S., 2004. Actuarial pricing of energy efficiency projects: lessons foul and fair. *Energy Policy*, in press. doi:10.1016/j.enpol.2003.12.008.

- McMahon, J.E., Liu, X., 2000. Variability of consumer impacts from energy efficiency standards. Proceedings of the Second International Conference on Energy Efficiency in Household Appliances and Lighting, Naples, Italy, September 27–29, 2000. Lawrence Berkeley National Laboratory Report No. 45819.
- Mills, E., 1996. Energy efficiency: no-regrets climate change insurance for the insurance industry. *Journal of the Society of Insurance Research* Fall, 21–58. <http://eetd.lbl.gov/Insurance/ClimateInsurance.html>.
- Mills, E., 2002. Amplifying the value of real estate investments through energy and water management. Lawrence Berkeley National Laboratory Technical Report. <http://eetd.lbl.gov/emills/PUBS/EE&RE.html>.
- Mills, E., 2003a. The insurance and risk management industries: new players in the delivery of energy-efficient products and services. *Energy Policy* 31, 1257–1272. http://eetd.lbl.gov/emills/PUBS/Insurance_Case_Studies.html.
- Mills, E., 2003b. Risk transfer via energy savings insurance. *Energy Policy* 31, 273–281. <http://eetd.lbl.gov/emills/PUBS/EnergySavingsInsurance.html>.
- Mills, E., 2004. Inter-comparison of North American residential energy analysis tools. *Energy and Buildings*, in press. <http://eetd.lbl.gov/emills/PUBS/SoftwareReviewEandB.html>.
- Moomaw, W.R., Moreira, J.R., Blok, K., Greene, D., Gregory, K., Jaszay, T., Kashiwagi, T., Levine, M., MacFarland, M., Prasad, N.S., Price, L., Rogner, H., Sims, R., Zhou, F., Alsema, E., Audus, H., Bose, R.K., Jannuzzi, G.M., Kollmuss, A., Changsheng, L., Mills, M., Minato, K., Plotkin, S., Shafer, A., Walter, A.C., Ybema, R., de Beer, J., Victor, D., Pichs-Madruga, R., Ishitani, H., 2001. Technological and economic potential of greenhouse gas emissions reduction. Chapter 3 In *Climate Change 2001: Mitigation*. Intergovernmental Panel on Climate Change, United Nations and World Meteorological Organisation, Geneva. <http://eetd.lbl.gov/emills/PUBS/PDF/wg3TARchap5.pdf>.
- Richter Quinn, L., 2002. Get respect from your CFO. *Risk Management* June, 12–19.
- Rickard, S., Hardy, B., Von Neida, B., Mihlmester, P., 1998. The investment risk in whole-buildings energy-efficiency upgrades projects. Proceedings of the ACEEE 1998 Summer Study on Energy Efficiency in Buildings, Vol. 4, Washington, DC: American Council for an Energy-Efficient Economy, pp. 307–318.
- Ritschard, R., McAllister, A., 1992. Persistence of savings in multi-family public housing. Lawrence Berkeley National Laboratory Report No. 32170.
- Timmons, H., 2002. Everybody out of the risk pool? *Business Week* 86.
- Vine, E., Mills, E., Chen, A., 1999. Tapping into energy: new technologies and procedures that use energy more efficiently or supply renewable energy offer a largely untapped path to achieving risk management objectives. *Best's Review—Property/Casualty Edition* May, pp. 83–85. <http://eetd.lbl.gov/insurance/BestReview/bestreviewart.html>.
- Vine, E., Kats, G., Sathaye, J., Joshi, H., 2003. International greenhouse gas trading programs: a discussion of measurement and accounting issues. *Energy Policy* 31, 211–224.

Further reading

- AICPA, 2002. Comments on: guarantor's accounting and disclosure requirements for guarantees, including indirect guarantees of indebtedness of others. American Institute of Certified Public Accountants. <http://www.aicpa.org/members/div/acstd/commltrs/062002tofasb.htm>.